L Number	Hits	Search Text	DB	Time stamp
- Transcr	1000	access with server with firewall	USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:12
-	32	access with server with firewall and receiv\$4 with proxy with connect\$4 with request	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01
-	212	receiv\$4 with proxy with connect\$4 with request	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:10
-	32	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:05
_	14	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:09
-		(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and first adj proxy and second adj proxy and inside with firewall and outside with	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:07
-	2	firewall (access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and first adj proxy and second adj proxy	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:08
_	3	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:11
-	1127	receiv\$4 with proxy and connect\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01
-	5	(access with server with firewall) and (receiv\$4 with proxy and connect\$4 with request) and authenticat\$4 with client and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
_	53		USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:12
-	28	access with server with inside with firewall and proxy	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:12
_	24	access with server with inside with firewall and proxy and connect\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:13
-	8	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:19
_	7	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:19

_	8	(access with server with firewall) and (receiv\$4 with proxy and connect\$4 with request) and authenticat\$4 with (client user customer) and inside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:20
	1	and outside with firewall "20020169980"	USPAT;	2003/08/01
			US-PGPUB; EPO; JPO; IBM TDB	09:29
-	0	"20020169980" and ("6334056" "6088796" "6463418").pn.	USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:30
-	4	"20020169980" ("6334056" "6088796" "6463418").pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:30
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:31
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:32
-	3	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside adj firewall	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:31
-	3	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside adj firewall and outside adj firewall and	USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:32
-	3	connect\$4 with request\$4 ("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside adj firewall and outside adj firewall and connect\$4 with request\$4 and receiv\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:32
_	4	with request ("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:33
-	4	"6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:34
	4	"6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
-	0	(client user customer) ("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:35
-	1	(client user customer) and first adj proxy ("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
		(receiv\$4 get\$4 send\$4 sent) with proxy		

			_	
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and receiv\$4 with proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and receiv\$4 same proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:37
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and translat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and translat\$4 and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	39526	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy hyper\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:42
_	2	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyper\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:42

-	4	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	11:59
		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM TDB	
		with request and authenticat\$4 with	1211_122	l
		(client user customer) and proxy		/ /
-	0		USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	12:00
		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM TDB	ļ.
		with request and authenticat\$4 with	<u>-</u>	
		(client user customer) and proxy and		1
		(translat\$4 conver\$4) with hyper\$5		
	1			1 /
-	. 3	firewall and inside with firewall and	USPAT;	2003/08/01
		outside with firewall and connect\$4 with	US-PGPUB;	12:02
		request\$4 and receiv\$4 with request and	EPO; JPO;	!
,		authenticat\$4 with (client user customer)	IBM TDB	
		and proxy and (translat\$4 conver\$4) with	-	İ
		hyper\$5		
1 -	0	firewall and authenticat\$4 with (client	USPAT;	2003/08/01
1		user customer) and proxy and document		
1		user cuscomer; and proxy and document	US-PGPUB;	12:03
1		with hyper\$link and (translat\$4 conver\$4)	EPO; JPO;	
1		with hyper\$link	IBM_TDB	i
-	40	(-2200)	USPAT;	2003/08/01
1		user customer) and proxy and document	US-PGPUB;	12:04
		with hyper\$link	EPO; JPO;	
l			IBM TDB	
1 -	0	firewall and authenticat\$4 with (client	USPAT;	2003/08/01
1		user customer) and proxy and document	US-PGPUB;	12:04
		with hyper\$link and hyper\$link with	EPO; JPO;	12.04
			j.	
1	_	(translat\$4 conver\$5)	IBM_TDB	/
-	2	firewall and authenticat\$4 with (client	USPAT;	2003/08/01
		user customer) and proxy and document	US-PGPUB;	12:08
		with hyper\$link and hyper\$link same	EPO; JPO;	
ļ		(translat\$4 conver\$5)	IBM TDB	l
1 -	76	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:08
		and hyper\$link same (translat\$4 conver\$5)	EPO; JPO;	12.00
		distribution same (statistics)	IBM TDB	
_	0	authenticat\$4 with (client user customer)	USPAT;	2002/09/01
1				2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:08
		and hyper\$link adj (translat\$4 conver\$5)	EPO; JPO;	
			IBM_TDB	
-	71	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:09
		and hyper\$link with (translat\$4 conver\$5)	EPO; JPO;	
			IBM TDB	<u> </u>
-	0	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:10
1 .	'	and hyper\$link with (translat\$4 conver\$5)	EPO; JPO;	12.10
		and (re\$write substitut\$4 re\$rout\$4) with	i	
		and (leawlite substituta rearouta) with hyper\$link	IBM_TDB	
1_		·		0000/05/55
-	2	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:10
		and hyper\$link with (translat\$4 conver\$5)	EPO; JPO;	
		and (chang\$4 re\$direct\$4 modif\$4) with	IBM_TDB	
		hyper\$link	_	
-	1	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
1		and proxy and document with hyper\$link	US-PGPUB;	12:12
		and hyper\$link with (translat\$4 conver\$5)	EPO; JPO;	· - :
		and (chang\$4 re\$direct) with hyper\$link	IBM TDB	
1 -	27	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
i	"	with (translat\$4 conver\$5) and (chang\$4		
I		re\$direct substitut\$4 re\$writ\$4 modif\$4	US-PGPUB;	12:13
1			EPO; JPO;	
L	4-	replac\$4) with hyper\$link	IBM_TDB	
~	15	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
1		with (translat\$4 conver\$5) and (chang\$4	US-PGPUB;	12:14
		re\$direct substitut\$4 re\$writ\$4 modif\$4	EPO; JPO;	
		replac\$4) with hyper\$link and pars\$4	IBM_TDB	l i
				·

	35	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
1		with (translat\$4 re\$writ\$4 chang\$4	US-PGPUB;	12:15
		modif\$4 conver\$5) and (chang\$4 re\$direct	EPO; JPO;	
	ŀ	substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4	IBM_TDB	
_	۹	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
		with (translat\$4 re\$writ\$4 chang\$4	US-PGPUB;	13:15
		modif\$4 conver\$5) and (chang\$4 re\$direct	EPO; JPO;	13.13
	}	substitut\$4 re\$writ\$4 modif\$4 replac\$4)	IBM TDB	
		with hyper\$link and pars\$4 with	_	
		hyper\$link		
- '	0	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
		with (translat\$4 re\$writ\$4 chang\$4	US-PGPUB;	13:16
		modif\$4 conver\$5) and (chang\$4 re\$direct	EPO; JPO;	
		substitut\$4 re\$writ\$4 modif\$4 replac\$4)	IBM_TDB	
		with hyper\$link and pars\$4 with		
_	0	hyper\$link and hyper\$link with secur\$4 document with hyper\$link and (chang\$4	USPAT;	2003/08/01
-	١	re\$direct substitut\$4 re\$writ\$4 modif\$4	US-PGPUB;	13:17
		replac\$4) with hyper\$link and pars\$4 with	EPO; JPO;	15.17
		hyper\$link and hyper\$link with secur\$4	IBM TDB	
-	o	document with hyper\$link and (chang\$4	USPAT;	2003/08/01
		re\$direct substitut\$4 re\$writ\$4 modif\$4	US-PGPUB;	13:17
		replac\$4) with hyper\$link and pars\$4 and	EPO; JPO;	
		hyper\$link with secur\$4	IBM_TDB	
-	62	hyper\$link with secur\$4	USPAT;	2003/08/01
		•	US-PGPUB;	13:19
1			EPO; JPO;	
_	8	himonélink adi goguné4	IBM_TDB USPAT;	2003/08/01
-	6	hyper\$link adj secur\$4	US-PGPUB;	13:17
			EPO; JPO;	13.17
			IBM TDB	
-	3	hyper\$link adj secur\$4 with (information	USPAT;	2003/08/01
		data)	US-PGPUB;	13:18
			EPO; JPO;	
	_		IBM_TDB	
-	3	hyper\$link adj secur\$4 with (information	USPAT;	2003/08/01
		data)	US-PGPUB; EPO; JPO;	13:18
			IBM TDB	
_	22	hyper\$link with secur\$4 with	USPAT;	2003/08/01
		(information data)	US-PGPUB;	13:19
			EPO; JPO;	
			IBM TDB	
-	3	1.310-14-11111 11-011 00-01-41 11-011 /11-01-1111	USPAT;	2003/08/01
		data) and document and (translat\$4	US-PGPUB;	13:23
		re\$writ\$4 conver\$4 chang\$4 modif\$4) with	EPO; JPO;	
		hyper\$link	IBM_TDB	2002/09/01
-) 6	hyper\$link with secur\$4 with (information data) and document and (translat\$4	USPAT; US-PGPUB;	2003/08/01 13:26
		re\$writ\$4 conver\$4 chang\$4 modif\$4	EPO; JPO;	13.20
		substitut\$4 replac\$4) with hyper\$link	IBM TDB	<u>'</u>
-	6	hyper\$link with secur\$4 with (information	USPAT;	2003/08/01
		data) and document and (translat\$4	US-PGPUB;	13:26
		re\$writ\$4 conver\$4 chang\$4 modif\$4	EPO; JPO;	
		substitut\$4 replac\$4 re\$do\$4) with	IBM_TDB	
		hyper\$link		
-	16	hyper\$link with secur\$4 with (information	USPAT;	2003/08/01
		data) and document	US-PGPUB;	13:28
1			EPO; JPO;	
_	2	hyper\$link adj secur\$4 with (information	IBM_TDB USPAT;	2003/08/01
-	3	data) and document	USPAT; US-PGPUB;	13:28
		data, and document	EPO; JPO;	13.20
			IBM TDB	
	L	L	1 - 200 - 2 2 2 2	